Name	AP Chemistry
	V 1: Due 2/6/18 Complete both free response questions. One will be graded. Show all clearly label all final answers
(a) Calculate the to (b) The temperatur (i) The m (ii) The p	cylinder contains 19.73 g of $\text{Cl}_2(g)$ and 19.73 g of $\text{F}_2(g)$. stal pressure, in atm, of the gas mixture in the cylinder at 298 K. the of the gas mixture in the cylinder is increased to 370 K. Calculate each of the following. The color fraction of $\text{F}_2(g)$ in the cylinder artial pressure, in atm, of $\text{F}_2(g)$ in the cylinder molecules travel at a rate of 361 m/s at 370 K, at what rate will the fluorine molecules travel?
where a reaction of (d) Write the balan	70 L cylinder contains 0.973 mol of $NO(g)$ at 298 K. A 0.973 mol sample of $O_2(g)$ is added to the cylinder, eccurs to produce $NO_2(g)$. aced equation for the reaction. otal pressure, in atm, in the cylinder at 298 K after the reaction is complete.

2. Butane, C ₄ H ₁₀ , is a hydrocarbon that is commonly used as ruel in lighters.				
 (a) Write a balanced equation for the complete combustion of butane gas, which yields CO₂(g) and H₂O(l). (b) Calculate the volume of air at 73°C and 1.00 atmospheres that is needed to burn completely 37.0 grams of butane. Assume that air is 21.0 percent O₂ by volume. (c) The heat of combustion of butane is -2,881.9 kJ/mol. Calculate the heat of formation, ΔH°_f, of butane given that ΔH°_f of H₂O(l) = -285.3 kJ/mol and ΔH°_f of CO₂(g) = -393.5 kJ/mol. (d) If the enthalpy of vaporization for H₂O(l) is 44.0 kJ/mol, what is ΔH° for the combustion reaction above if H₂O(g) is formed instead of H₂O(l)? (e) Assuming that all of the heat evolved in burning 73.0 grams of butane is transferred to 11.06 kilograms of water (specific heat = 4.184 J/g · K), calculate the increase in temperature of the water. 				